GENERAL INDEX TO VOLUME XXII

New scientific names of plants and the final members of new combinations are printed in **bold face** type; synonyms and page numbers having reference to figures and plates, in *italics;* and previously published names and all other matter, in ordinary type.

A

Adelosaccharomycetaceae, 349
Agalinis fasciculata, distribution of, in Missouri, *438*
Amblyanthera foliosa, 232, 238
Amelanchier canadensis in Schuyler Co., Mo., *756*
Anemone caroliniana, distribution of, in Missouri, *438*, of cylindrica, *437*
Angadenia Lindeniana, 232; Sagraei, inflorescence structure in, *17*, 18
Angadenia, 270; *Amazonica*, 279; *cognata*, 273; *coriacea*, 303; *Cururu*, 286; *elegans*, 303; *geminata*, 303; *grandifolia*, 286; *hypoglauca*, 301; *latifolia*, 279; *majuscula*, 301; *nitida*, 300; *Spruceï*, 279; *sylvestris*, 297
Animals: effect of ultra-violet, on basal metabolism of lower forms, 773, of human subjects, 781, of vertebrates, 775, on oxidizing enzymes of, 802
Anisolobus, 270, 271; *amazonicus*, 279, *β. latifolius*, 279; *anomalus*, 295; *cognatus*, 273; *Cururu*, 286, *β. grandifolius*, 286; *Fockei*, 286; *gracilipes*, 294; *hebecarpus*, 283, *β. glabratus*, 283, *a. tomentosus*, 283, a. *erectus*, 283, b. *scandens*, 283; *Hostmanni*, 286; *Kappleri*, 285; *lancifolius*, 306; *Perrottetii*, 288, *β. obtusus*, 288; *pulcherrimus*, 283; *puncticulosus*, 286; *Spruceï*, 279; *Zuccarinianus*, 283
Anthemis globosa, 102; *lutescens*, 112; *sinuata*, 104; *triloba*, 104; *trilobata*, 104
Apocynaceae: Observations on the inflorescence of, (with special reference to the American genera of Echitoideae), 1; schematic diagram of supposed relationship of certain types of inflorescence in, *39;* Studies in the, IV, 153
Apocynum, inflorescence structure in, 14; *Acouci*, 169; androsaemifolium, inflorescence structure in, 15, *15;* cannabinum, inflorescence structure in, 14, *15*, var. glaberrimum, 223; *paniculatum*, 169; *umbellatum*, 208
Apparatus: An improved, for the determination of carbon dioxide production in physiological plant studies, 361, *362*, 838; for raying yeast cultures, arrangement of, 854, *855;* A note on the application of the glass electrode to the determination of oxidation-reduction potentials, 861
Aptotheca, 153; *corylifolia*, 211
Arcangeliella **africana**, 365; **alveolata**, 365; **ambigua**, 365; **asterosperma**, 366, var. **depauperata**, 366, var. **hololeuca**, 366; **Beccari**, 366; **Behrii**, 366, var. **caudata**, 366; **brunneola**, 366; **Campbellae**, 366; *caudata*, 366; **cremea**, 367; **Curtisii**, 367; **ellipsoidea**, 367; **Gardneri**, 367; **glabrella**, 368; **krjukowensis**, 368, var. **michailowskjana**, 368; **laevis**, 368; **nana**, 368; **occidentalis**, 368; **pilosa**, 368; **scissilis**, 369; **socialis**, 369; **tasmanica**, 369; **violacea**, 369; **vulvaria**, 369.
Artemisia vulgaris var. gnaphalodes, distribution of, in Missouri, *438*
Arundinaria gigantea, distribution of, in Missouri, *437*
Asclepias perennis, distribution of, in Missouri, *439*
Aspergillus repens, 317, 326

B

Bacteria: effect of ultra-violet, on metabolism of, 790, on respirational enzymes of, 821
Balsamorhiza, 114; Bolanderi, 123; Careyana, 124; deltoidea, 125; *glabrescens*, 125; *helianthoides*, 127; hirsuta, 138, var. **lagocephala**, 139, var. **neglecta**, 139; **hispidula**, 137, *150;* Hookeri, 129, var. **lanata**, 130, var. **rosea**, 130; *Hookeri* var. *hirsuta*, 138; incana, 133, var. **tomentosa**, 134; in-

venusta, 122; **macrolepis**, 132; macrophylla, 134, var. **idahoensis**, 136; *macrophylla* var. *terebinthacea*, 135; **platylepis**, 131; *rosea*, 130; sagittata, 127; serrata, 136; terebinthacea, 140
Balsamorrhiza; 119; *Balsamorrhiza*, 129; *floccosa*, 133; *Hookeri* var. *incana*, 133; *tomentosa*, 134
Basal metabolism of animals, 773, of human subjects, 781, of lower forms, 773, of vertebrates, 775
Bean plants, effect of ultra-violet on respiration and respiratory enzymes of, 848
Berchemia scandens, distribution of, in Missouri, *437*
Biochemical studies with ultra-violet, 779
Bobartia, 88
Bostryx in Apocynaceae, 4, *39*
Botrytis, effect of ultra-violet on metabolism of, 792
Brauneria, 88; *angustifolia*, 91; *laevigata*, 91; *pallida*, 93; *paradoxa*, 94; *purpurea*, 89; *tennesseensis*, 92
Bumelia lanuginosa, distribution of, in Missouri, *440*
Buphthalmum sagittatum, 127

C

Calamagrostis canadensis var. Macouniana, distribution of, in Missouri, *438*
Cameraria Guyanensis, 252, 269; *lutea*, 252; *Tamaquarina*, 252
Carbohydrate reactions of Hemispora coremiformis, 325, of Posadasia capsulata, 346
Carbon dioxide: elimination of, 853; an apparatus for the determination of, in physiological plant studies, 361, *362*, 853
Catalase, effect of ultra-violet on: of animals, 802, of bacteria, 821, of plants, 805, of bean plants, 849, of higher plants, 821, of tomato plants, 838
Catalogue, An annotated, of the flowering plants of Missouri, 375
Catalpa macrocarpa, 270
Chilophyllum, 100; *globosum*, 102
Cheilanthes alabamensis, in McDonald Co., Mo., *754*
Chrysanthemum americanum, 89
Chrysophania, 100; *fastigiata*, 112
Cincinnus in Apocynaceae, 4, *39*
Clathrogaster Beccari, 366; *vulvarius*, 369
Clematis Fremontii in Jefferson Co., Mo., *758*
Climate, irradiation as a factor of, 764, 784
Coccidioideaceae, 349
Coccidioides immitis, 348, 349
Codonechites, 270; *paniculata*, 305
Compositae, A critical study of certain epappose genera of the Heliantheae-Verbesininae of the natural family, 51
Conidiophorales, 326
Coreopsis heterophylla, 81
Coutoubea, inflorescence structure in, 26
Cryptococcus, 335; farciminosus, 347, 349; muris, 349
Cunila origanoides, distribution of, in Missouri, *440*
Cycladenia Harrisonii, 297
Cylicadenia, 270; *Harrisii*, 297
Cytology of Geotrichum versiforme, 307

D

Dehydrogenase, effect of ultra-violet on: of animal tissues, 820, of plants, 821
Dichasium in Apocynaceae, 3, *39;* aggregate, 4, *39*
Dipladenia Harrisii, 297; *Harrisonii*, 297
Dodge, Carroll W., Sanford M. Zeller and. New species of Hydnangiaceae, 365
Dracunculus Virginianus latifolius, 89

E

Echinacea, 84; angustifolia, 91, var. tennesseensis, 92; *angustifolia*, 93; *Dicksonii*, 82; *dubia*, 81; *heterophylla*, 81; *intermedia*, 89; laevigata, 91; pallida, 93, *150;* paradoxa, 94; purpurea, 89; *sanguinea*, 91; *tennesseensis*, 93
Echites, inflorescence structure in, 11; crassipes, 13, *44;* turbinata, 11, *46;* turrigera, 13, *46;* tuxtlensis, 11, *46;* umbellata, 11, *44;* yucatensis, 11, *46*
Echites, 270; *amazonica*, 279; *arborea*, 249; *bicornis*, 279; *bracteata*, 202; *cognata*, 273; *coriacea*, 302; *corymbosa*, 218; *Cururu*, 285, var. *α. angustifolia*, 285, var. *β. grandifolia*, 285; *difformis*, 232, 234; *elegans*, 302; *ferruginea*, 232; *floribunda*, 214; *geminata*, 302; *gracilipes*, 294; *grandiflora*, 296; *hebecarpa*, 283; *Hoffmannseggiana*, 296; *hypoglauca*, 301; *lucida*, 300; *lutea*, 283; *macrantha*, 296; *macrocarpa*, 270; *Meyeriana*,

297; *nitida*, 300; *pilosa*, 159; *puberula*, 234; *pulcherrima*, 283; *puncticulosa*, 285; *salicifolia*, 234; *sessilis*, 269; *spicata*, 211; *stipellaris*, 295; *sylvestris*, 297; *thyrsoidea*, 200; *Velloziana*, 202; *verrucosa*, 278; *Zuccariniana*, 283
Echitoideae, American genera of, 153; Observations on the inflorescence of Apocynaceae, with special reference to, 1
Elasmomyces **borneensis**, 370; **echinosporus**, 370; *russuloides*, 365
Electrode, glass, A note on the application of the, to the determination of oxidation-reduction potentials, 861
Endomycetaceae, 349
Enzymes: of animals, effect of ultra-violet on, 802; of higher plants, respiration and respiratory, Effects of ultra-violet on, 837, of beans, 848, of tomatoes, 837, 841
Erigeron pulchellus in Jefferson Co., Mo., *758*
Espeletia helianthoides, 127; *sagittata*, 127

F

Fagus grandiflora var. caroliniana, in low woods, Butler Co., Mo., *756*
Fat in cells of Geotrichum versiforme, 311
Ferdinanda, 100; *augusta*, 112, var. *megacephala*, 110; *lutescens*, 112; *montagnaefolia*, 108
Fermentation: effect of ultra-violet on, 790; of yeasts, Influence of various regions of the spectrum on the, 853
Fernaldia pandurata, inflorescence structure of, *48*
Flower, solitary, in Apocynaceae, 7, *39*
Forestiera acuminata, distribution of, in Missouri, *439*
Forsteronia, 153, inflorescence structure in 19; Acouci, 169; *acutifolia*, 161, *β pubescens*, 161; adenobasis, 207; affinis, 166; *Alexandri*, 214; amblybasis, 180, inflorescence structure in, *15*, 23; australis, 192; Benthamiana, 170; *bracteata*, 202; *brasiliensis*, 190, *β. bahiensis*, 190; brevifolia, 173; **chiriquensis**, 203; **cordata**, 186; *corylifolia*, 211; corymbosa, 218, inflorescence structure in, 19, *20*; **decipiens**, 181; *difformis*, 234; diospyrifolia, 175; Duckei, 177; elachista, 162, inflorescence structure in, *15*, 22; *embelioides*, 159; subg. **Euforsteronia**, 154; **fallax** Taub., 222; floribunda, 214, inflorescence structure in, 19; *floribunda*, 220; *foliosa*, 188; **galbina**, 198; Gardneri, 165; glabrescens, 194; gracilis, 158; **graciloides**, 163; guyanensis, 172; *lagoënsis*, 220; laurifolia, 178; leptocarpa, 190, inflorescence structure in, *15*, *20*, 21; *leptocarpa* var. *glaberrima*, 190; Luschnathi, 161; *macrophylla*, 208; *meridionalis*, 159; *microphylla*, 202; *minutiflora*, 159; mollis, 187, var. **foliosa**, 188, var. typica, 188; montana, 183; *multinervia*, 200, *β glabriuscula*, 201, *γ microphylla*, 202, *δ ovalifolia*, 200; myriantha, 197; *obscura*, 201; obtusiloba, 193; *paludosa*, 179, inflorescence structure in, *15*, 22; *panniculata*, 223; *Pavonii*, 223; **peninsularis**, 215; pilosa, 159; portoricensis, 217, inflorescence structure in, 19; *protensa*, 161; subg. **Pteranthera**, 220; pubescens, 184; *pubescens β cordata*, 186; **Pycnothyrsus** K. Sch., 205; refracta, 200; *refracta* var. *contracta*, 221; Riedelii, 176; rufa, 167; *rufa* var. *subglabra*, 167; **Sandwithiana**, 209; *Schomburgkii*, 169, 208, *β umbellata*, 208; *Sellowii*, 183; simulans, 213, inflorescence structure in, *20*, 21; spicata, 211, inflorescence structure in, *15*, 23; **subcordata** K. Sch., 189; tarapotensis, 195; thyrsoidea, 199, inflorescence structure in, *20*, 21, var. **glabriuscula**, 201, var. typica, 200; **umbellata**, 208; Velloziana, 202, inflorescence structure in, *20*, 21; viridescens, 171; **Wilsonii**, 174
Fuller, H. J., F. Lyle Wynd, and Ernest S. Reynolds. Studies in ultra-violet and respiratory phenomena. II. The effects of ultra-violet on respiration and respiratory enzymes of higher plants, 837
Fungi: effect of ultra-violet on metabolism of, 790; yeast-like, 307, 317, 337

G

Geocarpon minimum, in Jasper Co., Mo., *750*
Geotrichum versiforme Moore, Cytology of, 307, *314*, *316*
Glass electrode, A note on the application of the, to the determination of oxidation-reduction potentials, 861

Glucose agar, growth of Geotrichum versiforme on, 308
Glutathione, 824
Glycogen in cells of Geotrichum versiforme, 311
Greenmaniella, 141; **resinosa**, 141, *152*
Growth in relation to external stimulus, 762
Gymnolomia scaposa, 83; *triloba*, 106
Gymnomyces Gardneri, 368; *pallidus*, 365

H

Haemadictyon grandiflorum, 297
Head infection caused by a new Hemispora, *H. coremiformis*, 317
Heliantheae-Verbesininae of the natural family Compositae, A critical study of certain epappose genera of the, 51
Helianthus invenustus, 122
Helichroa, 88
Heliopsis Balsamorrhiza, 129; *terebinthinacea*, 140
Hemispora, head infection caused by a new, 317
Hemispora, 326; **coremiformis**, 328, *332*, *334*; **pararugosa**, 317, 326; **rugosa**, 317, 326; **stellata**, 317, 326
Hemisporosis, 317
Histoplasma capsulatum, 347, 349
Histoplasmaceae, 349
Histoplasmosis, 335
Hybridella, 100; *globosa*, 102
Hydnangiaceae, New species of, 365
Hydnangium **Archeri**, 371; *candidum*, 370; **citrinum**, 371; **Eisenii**, 371; **Gilkeyae**, 371; *glabrum*, 365; **Hessei**, 371; *hysterangioides*, 370; **laeve**, 372; **lanigerum**, 372; **luteum**, 372; **mistiforme**, 372; **monticola**, 372; **pusillum**, 372; *Ravenelii*, 367; **Soehneri**, 372; *tasmanicum*, 369; **Thaxteri**, 372; **tuberculatum**, 373
Hydrangea arborescens, distribution of, in Missouri, *440*
Hydrogen-ion concentration, relation of, to oxidation-reduction systems, 861
Hymenogaster *Behrii*, 366; *Campbellii*, 366; *luteus*, 373; *nanus*, 368; *violaceus*, 369; viscidus, 373
Hysterangium viscidum, 373

I

Infections, fungous, 307, 317, 337
Inflorescence of Apocynaceae: Observations on the, 1; structure of, *15*, *17*, *20*, *24*, *27*, *30*, *32*
Iostephane, 77; subg. **Chrysopetala**, 81; subg. **Euiostephane**, 80; heterophylla, 81, *150*, var. **acutiloba**, 83, var. **Dicksonii**, 82; trilobata, 83
Irradiation: as a climatic factor, 764, 784; ultra-violet from artificial sources, 781, reaction of animals to, 773, of human subjects, 781, of lower forms, 773, of plants, 759, 790, of bean plants, 848, of tomato plants, 760, 837, of yeast, 793, 853

J

Juniperus mexicana, on dolomite bluffs of White River, Barry Co., Mo., *746*, *756*; virginiana, in Jefferson Co., Mo., *748*

K

Kallstroemia, A new, from Texas, 49
Kallstroemia **hirsuta**, 49, *50*

L

Laseguea leptocarpa, 190
Laubertia laxiflora, 305
Leitneria floridana, distribution of, in Missouri, *439*
Lepachys, 66; *columnaris*, 68, var. *pulcherrima*, 70, var. *Tagetes*, 72; *columnifera*, 68; *mexicana*, 76; *peduncularis*, 73, var. *picta*, 74; *pinnata*, 75; *pinnatifida*, 75; *serratus*, 74; *Tagetes*, 72
Light, reaction of plants to, 760
Lipoidal substances in cells of Geotrichum versiforme, 311
Liquidambar Styraciflua, distribution of, in Missouri, *439*
Literature on ultra-violet and respiratory phenomena, Review of, 771
Lochnera rosea, inflorescence structure in, 31, *32*
Loess areas of Missouri, 429; plants of, 431; views in, *746*, *752*
Lygodesmia juncea, distribution of, in Missouri, *437*

M

Macowanites *echinosporus*, 370; **magnus**, 369
Macrosiphonia, inflorescence structure in, 29, *30*: Brachysiphon, 30, *30*; hypoleuca, 29, *30*; longiflora, 31, *48*; Macrosiphon, 30, *30*

Malouetia, 238; *albiflora*, 253; amplexicaulis, 261; arborea, 249; *asiatica*, 269; cestroides, 248; cubana, 243; Duckei, 250; flavescens, 242; furfuracea, 254; *furfuracea β. grandifolia*, 255; glandulifera, 256; sect. **Graciles**, 263; gracilis, 263; **gracillima**, 265; guatemalensis, 267; *guianensis*, 269; *Guianensis*, 253; *jasminoides*, 269; Killipii, 262; *lactiflua*, 269; *lanceolata*, 249; lata, 245; *Martii*, 249; **Mexiae**, 246; nitida, 266; *obtusifolia*, 253; *obtusiloba*, 253; *odorata*, 252; *panamensis*, 267; **peruviana**, 259; *puberula*, 269; pubescens, 251; *retroflexa*, 243; *riparia*, 269; Schomburgki, 244, inflorescence structure in, *48*; *sessilis*, 269; Tamaquarina, 252, 269; *Tamaquarina β. brasiliensis*, 253, 256, *γ. Brasiliensis*, 249, *γ. lancifolia*, 253, *β. minor*, 252; sect. **Tamaquarinae**, 240; *Tarumensis*, 253; *tetrastachya*, 269; virescens, 264

Mandevilla: inflorescence structure in, 23, *24*, in Achrestogyne, 25, in bogotensis, 25, in callacatensis, *24*, 26; cuspidata, 306; foliosa, 232, 238; glandulosa, 306; scabra, inflorescence structure in, *24*, 26, in subpaniculata, 24, *24*, in xanthostoma, *24*, 25

Map of Missouri: divided into zones to show geographical range of species, *381*, showing the plant regions, *401*

Martellia mistiformis, 372

Media: growth of Geotrichum versiforme on various, 308; of Hemispora coremiformis, 322, of Posadasia capsulata, 340, of P. pyriformis, 343

Melanogaster ambiguus, 373, var. **eurysperma**, 373; *Eisenii*, 371

Metabolism, effect of ultra-violet on: of animals, 773, of human subjects, 781, of lower forms, 773, of vertebrates, 775; of plants, 790, of bacteria, 790, of Botrytis, 792, of yeast, 793

Milk, effect of ultra-violet on peroxidase activity of, 815

Missouri: An annotated catalogue of the flowering plants of, 375; annotated list of plants, 453; climate, 390; elevation and drainage, 387; flora, 398; geology and topography, 394; location and area, 385; map, showing geographical range of species, *381*; map showing plant regions, *401*; Ozark region, 406, views in, *746*, *756*, granitic-siliceous sub-region of, 411, sink-hole ponds, 409, White River subregion and bald knobs of, 413, limestone and dolomite glades of, 422; prairie region, 427, glaciated subdivision of, 429, loess hills of, 431, *746*, *752*, unglaciated sub-division of, 431, views in, *746*, *752*, *756*; southeastern lowlands region, 400; tabular list of families, 683

Mitozus, 270; *gracilipes*, 294; *tenellus*, 300

Molopanthera paniculata, 223

Monilia, 307

Moore, Morris. Cytology of Geotrichum versiforme Moore, 307; Head infection caused by a new Hemispora: H. coremiformis, 317; A morphological and physiological study of two species of Posadasia, 335

Morphological and physiological study of two species of Posadasia, 335

Mycoderma, 307

N

Nectaromycetaceae, 349

Neogeotrichum pulmoneum, 348

Nyssa aquatica, distribution of, in Missouri, *439*

O

Obeliscaria, 67; *columnaris*, 68; *pinnata*, 75; *pulcherrima*, 70; *Tagetes*, 72

Octaviania africana, 365; *alveolata*, 365; *Archeri*, 371; *asterosperma*, 366, var. *depauperata*, 366, var. *hololeuca*, 366; *borneensis*, 370; *brunneola*, 366; *citrina*, 371; *compacta*, 370; *hysterangioides*, 370; *laevis*, 368, 372; *lanigera*, 372; *levis*, 368, 372; *lutea*, 372; *luteocarnea*, 370; *microsporium*, 366; *monticola*, 372; *occidentalis*, 368; *pusilla*, 372; *socialis*, 369; *tuberculata*, 373; *vacua*, 366

Octavianina alveolata, 365; *Hessei*, 371; *laevis*, 368, 372; *lanigera*, 372; *levis*, 372; *tuberculatum*, 373

Odontadenia, 270, inflorescence structure in, 16; affinis, 280; *amazonica*, 279; *angustifolia*, 300; subg. **Anisolobus**, 271; anomala, 295; sect. **Anomalae**, 295; *augusta*, 273; cognata, 273; *cordata*, 300; **cordigera**, 282; *coriacea*, 303; *Cururu*, 286; *cuspidata*, 306; *Dusendschoenii*, 300; subg. **Euodontadenia**, 296; *formosa*, 297; **funigera**, 274; geminata, 302; *glandulosa*, 306; glauca, 304; *goyazensis*, 294; **gracilipes**, 294; *gracilis*, 306; *grandiflora*, 297; *Harrisii*, 297;

Hoffmannseggiana, 296, inflorescence structure in, 16, *17*; sect. **Hoffmannseggianae**, 296; hypoglauca, 301; Killipii, 281; Kochii, 291; **lauretiana**, 289; laxiflora, 305, inflorescence structure in, *17*, 18; sect. **Laxiflorae**, 305; *lucida*, 300; lutea, 283; **neglecta**, 277; nitida, 300, *α. oblongifolia*, 300, *β. acuminata*, 300, *γ. angustifolia*, 300; sect. **Nitidae**, 299; Perrottetii, 288; *Poeppigii*, 303; polyneura, 304, inflorescence structure in, *17*, 18; puncticulosa, 285; Sandwithiana, 289; **Schippii**, 292; *speciosa*, 296; spoliata, 287; *Spruceï*, 279; stemmadeniaefolia, 299; **surinamensis**, 276; *sylvestris*, 297; verrucosa, 278; sect. **Verrucosae**, 271; *Zuccariniana*, 284, f. *angustifolia*, 284, f. *ovalifolia*, 284, var. *tomentosa*, 284

Oenothera missourensis in Barry Co., Mo., *758*

Oidium, 335; lactis, 307

Oospora, 307; d'Agatae, 327

Orthechites, 224; *Macnabii*, 231

Oxidation-reduction potentials, A note on the application of the glass electrode to the determination of, 861

Oxygenase, effect of ultra-violet on, 812, 839

Oxytropis plattensis, distribution of, in Missouri, *437*

Ozark region of Missouri, 406; characteristic plants of, 410; bald knobs, 415, plants of, 420; chert glades, 421, plants of, 422; granitic siliceous subregion, 411, plants of, 412; limestone and dolomite glades, 422, plants of, 422; views in, *746–758*; White River sub-region, 413

P

Palmer, Ernest J. and Julian A. Steyermark, An annotated catalogue of the flowering plants of Missouri, 375

Panicle in Apocynaceae, 6

Paracoccidioides, 349; brasiliensis, 348, 349

Parsonsia corymbosa, 218; *floribunda*, 214; *leptocarpa*, 190; *spicata*, 211

Pentstemon Cobaea var. purpureus, in Taney Co., Mo., *758*

Pericteria, 270; *stipellaris*, 295

Periploca umbellata, 218

Peroxidase, effect of ultra-violet on: of animal tissues, 815, of plants, 816, of beans, 848, of tomatoes, 839, 844, 847

Pinus echinata: along Little St. Francis River, Mo., *746*; in Shannon Co., Mo., *756*; distribution of, in Missouri, *440*

Populus tremuloides, distribution of, in Missouri, *438*

Posadasia, A morphological and physiological study of two species of, P. capsulata (Darling) Moore and P. pyriformis Moore, 335

Posadasia, 348; capsulata, 336, 340, 348, *352*, *354*, *356*; pyriformis, 336, 343, 348, *358*, *360*

Prairie region of Missouri, 427; glaciated sub-division of, 427, plants of, 429; loess areas, 429, *746*, *752*, plants of, 431; salt licks and saline springs, 431; unglaciated sub-division of, 431, plants of, 434; views in, *746*, *752*, *756*

Prestonia, inflorescence structure in, *27*, 28, in agglutinata, 28, *48*, in brachypoda, 28, in Meg'agros, *27*, 28, in mexicana, *27*, 28, in portobellensis, *27*, 28, in quinquangularis, 28

Protoglossum luteum, 373

Prunus virginiana, distribution of, in Missouri, *438*

Pteridium latiusculum, distribution of, in Missouri, *440*

Pteretis nodulosa, distribution of, in Missouri, *438*

Q

Quartz mercury arc, in irradiation experiments, 837, 843, 854, 857

Quercus falcata, distribution of, in Missouri, 437, of lyrata, 439, of Shumardii var. Schneckeii, 440

R

Raceme in Apocynaceae, 5, *39*

Ratibida, 66; columnaris, 68, *150*, var. *pulcherrima*, 70, f. **pulcherrima**, 70; *columnifera*, 68, var. *pulcherrima*, 71; **mexicana**, 76; pedunculatis, 73, var. **picta**, 73; *picta*, 74; pinnata, 75; *sulcata*, 68; Tagetes, 71; *Tagetes* var. *cinerea*, 73

Reactions of plants to ultra-violet, 759

Respiration: of plants, apparatus for determining, 361; effects of ultra-violet on, of beans, 848, of fungi, 790, of green plants, 800, of tomatoes, 837, of yeast, 793, 853

Respiratory enzymes of higher plants, Effects of ultra-violet on respiration and, 800, 837

Respiratory phenomena, Studies in ultra-

violet and. I. Review of work published before June, 1935, 771; II. The effects of ultra-violet on respiration and respiratory enzymes of higher plants, 837; III. The influence of various regions of the spectrum on the anaerobic fermentation of yeast, 853
Review of ultra-violet work published before June, 1935, 771
Reynolds, E. S. The reactions of plants to ultra-violet, 759; and F. Lyle Wynd. Studies in ultra-violet and respiratory phenomena. I. Review of work published before June, 1935, 771; F. Lyle Wynd, Harry J. Fuller, and. *Ibid.* II. The effects of ultra-violet on respiration and respiratory enzymes of higher plants, 837; and F. Lyle Wynd. *Ibid.* III. The influence of various regions of the spectrum on the anaerobic fermentation of yeast, 853
Rhabdadenia Lindeniana, 232; *lucida*, 300; *polyneura*, 304
Rhinosporidium, 349; Seeberi, 349
Rhododendron nudiflorum var. roseum, in Madison Co., Mo., *758*
Robbia, 239; *cestroides*, 248; *gossipina*, 249; *macrocarpa*, 269
Rosa blanda, distribution of, in Missouri, *438*
Rudbeckia chrysantha, 83; *columnaris*, 68; *columnifera*, 68; *napifolia*, 81; *pallida*, 93; *pinnata*, 75; *purpurea*, 89; *serotina*, 89; *Tagetes*, 72

S

Sclerogaster **Broomeianus**, 370; **candidus**, 370; **hysterangioides**, 370; *lanatus*, 371; **luteocarneus**, 370; **pacificus**, 370; **siculus**, 371
Secondatia, 224; *arborea*, 249; densiflora, 225; *densiflora* α *genuina*, 225, var. *paraguariensis*, 225, β *parviflora*, 225; *difformis*, 232, 234; Duckei, 230; *ferruginea*, 232; floribunda, 229; *foliosa*, 229, β. *Gardneri*, 229, δ. *lanceolata*, 229, γ. *petiolaris*, 229; Macnabii, 231; peruviana, 227; Schlimiana, 228; *stans*, 232
Secotium (Elasmomyces) krjukowense, 368; *michailowskyanum*, 368
Sedum pulchellum, in Jasper Co., Mo., *758*
Sharp, Ward M. A critical study of certain epappose genera of the Helianthеae-Verbesininae of the natural family Compositae, 51
Silene Wherryi, distribution of, in Missouri, *440*
Smilax glauca var. leurophylla, distribution of, in Missouri, *437*
Southeastern Lowlands region of Missouri, 400
Spectrum: effect of various waves of, on plants, 759, 774, 838; The influence of various regions of the, on the anaerobic fermentation of yeast, 853
Splanchnomyces Behrii, 366
Sporendonema, 327; casei, 327; epizoum, 327
Stemmadenia grandiflora, 269; *guatemalensis*, 267
Steyermark, Julian A., Ernest J. Palmer and. An annotated catalogue of the flowering plants of Missouri, 375
Stimulation of plants under ultra-violet irradiation, 759
Studies in the Apocynaceae, IV. The American genera of Echitoideae, 153
Studies in ultra-violet and respiratory phenomena, I. Review of work published before June, 1935, 771; II. The effects of ultra-violet on respiration and respiratory enzymes of higher plants, 837; III. The influence of various regions of the spectrum on the anaerobic fermentation of yeast, 853
Sulphydryl compounds, effect of ultra-violet on, 824
Syringosma, 153

T

Tabernaemontana amygdalifolia, 269; *cestroides*, 248; *gracilis*, 263; *grandiflora*, 269; *laeta*, 249; *odorata*, 252; *populifolia*, 234; *riparia*, 269; tetrastachya, 269
Taxodium distichum: distribution of, in Missouri, *439;* in swampy woods, Mississippi Co., Mo., *756;* map showing northern limit of, *237*
Temnadenia, inflorescence structure in, 26, *27*, in stellaris, 26, *27*, in stenantha, 26, *27*, in violacea, 27, *27*
Temperature in relation to growth of plants, 762
Texas, a new Kallstroemia from, 49
Thalia dealbata, distribution of, in Missouri, *439*
Thenardia floribunda, inflorescence structure in, *43;* corymbosa, 208; *laurifolia*, 178; *umbellata*, 208
Thyrsanthus, 153; *Acouci*, 169; *adenobasis*, 207; *affinis*, 166; *Aubletianus*, 208; *Benthamiana*, 170; *bracteatus*,

202; *Brasiliensis*, 190; *corylifolia*, 211; *corymbiferus*, 208; *corymbosus*, 218; *crebriflorus*, 192; *difformis*, 234; *diospyrifolius*, 175; *embelioides*, 159; *Gardneri*, 165; *glabrescens*, 194; *gracilis*, 158; *Guyanensis*, 172; *laurifolius*, 178; *leptocarpus*, 190; *Luschnatii*, 161; *macrophyllus*, 208; *meridionalis*, 160; *multinervius*, 200; *myrianthus*, 220; *pilosus*, 159; *placidus*, 184; *populifolius*, 234; *pubescens*, 184; *rufus*, 167, *Schomburgkii*, 169; *spicatus*, 211; *Wilsonii*, 174

Thyrse in Apocynaceae, 6, *39*

Tomato plants, Effects of ultra-violet on respiration and respiratory enzymes of, 837; reaction of, to ultra-violet irradiation, 760

Torula epizoa, 327; sacchari, 327

Torulopsidaceae, 349

Trachelospermum, 232; asiaticum, 269; difforme, 232, 234, distribution of, *237*; jasminoides, 233; *stans*, 238

Trichosporum, 327

Tyrosinase, effect of ultra-violet on, 814

U

Ultra-violet: reaction to, of animals, 773, of bacteria, 790, of bean plants, 848, of Botrytis, 792, of plants, 759, of green plants, 800, of tomatoes, 760, of yeast, 793; and respiratory phenomena, Studies in, I. Review of work published before June, 1935, 771; II. The effects of ultra-violet on respiration and respiratory enzymes of higher plants, 837; III. The influence of various regions of the spectrum on the anaerobic fermentation of yeast, 853

V

Vaccinium vacillans var. crinitum, distribution of, in Missouri, *440*

Vacuoles in cells of Geotrichum versiforme, 311

Vinca minor, inflorescence structure in, 31, *32*

Vita glass in ultra-violet experiments, 842, 857

Volutin in cells of Geotrichum versiforme, 310

W

Williams, Louis. A new Kallstroemia from Texas, 49

Woodson, Robert E. Jr. Observations on the inflorescence of Apocynaceae (with special reference to the American genera of Echitoideae), 1; Studies in the Apocynaceae. IV. The American genera of Echitoideae, 153

Wynd, F. Lyle. An improved apparatus for the determination of carbon dioxide production in physiological plant studies, 361; A note on the application of the glass electrode to the determination of oxidation-reduction potentials, 861; and E. S. Reynolds. Studies in ultra-violet and respiratory phenomena. I. Review of work published before June, 1935, 771; Fuller, H. J., and Reynolds, E. S. *Ibid.* II. The effects of ultra-violet on respiration and respiratory enzymes of higher plants, 837; E. S. Reynolds and. *Ibid.* III. The influence of various regions of the spectrum on the anaerobic fermentation of yeast, 853

X

Xanthine dehydrogenase, effect of ultra-violet on, 822

Y

Yeast: anaerobic fermentation of, Influence of various regions of the spectrum on the, 853; effect of ultra-violet on fermentation of, 793; medium used, 856

Yeast-like fungi, 307, 317, 337

Yucca glauca, distribution of, in Missouri, *437*

Z

Zaluzania, 95; *angusta*, 112; anthemidifolia, 104; *asperrima*, 108, var. *montagnaefolia*, 108; augusta, 112; cinerascens, 109; *Coulteri*, 109; discoidea, 107; subg. Ferdinanda, 101; globosa, 102, var. myriophylla, 103; *globosa*, 103; Grayana, 106; *Grayiana*, 106; subg. Hybridella, 101; megacephala, 110; mollissima, 110, *150*; montagnaefolia, 108; *myriophylla*, 103; nonensis, 113; Pringlei, 107; *quitensis*, 113; *resinosa*, 141; Robinsonii, 105; Sodiroi, 113; subcordata, 111; triloba, 104

Zeller, Sanford M., and Carroll W. Dodge. New species of Hydnangiaceae, 365

Zschokkea, 269